

**Model** : ATZ POE-SP3202-at

**Description** : PoE Splitter 10/100M IEEE 802.3at/ 12V DC Output (25.5W)



ATZ POE-SP3202-at, a cost-effective and highly reliable remote PoE PD device based on standard IEEE802.3at, transmitting power and data through a splitter cable. It provides power and data to devices without PoE function when connecting with a PoE Switch or PSE Injector. The output voltage is 12V, and equipped with PoE power supply device, it could effectively expand the scale of Security Surveillance & Wireless Network without the limitation of power line layout.

With transformer isolated design for circuit input and output stage of ATZ POE-SP3202-at, it strengthens anti-jamming capability and protection for circuit. It also effectively reduces PoE Switch Abnormal Power Supply matters caused by common ground problem, meeting the standard of IEEE802.3at. Compatible with power supply circuitry of both End-span(1,2+ 3,6-) and Mid-span (4,5+ 7,8-). Features output power 25.5W low ripple, with more than 82% high efficiency. Port Isolation Protection of up to 1500V, Protection for short circuit, over-current & over-temperature.

**Model** : ATZ POE-SP3202-at

**Description** : PoE Splitter 10/100M IEEE 802.3at/ 12V DC Output (25.5W)

## Features:

- 1x 10/100Mbps RJ45 port+ 1\*10/100M male output port+1\*(5.5\*2.1mm) DC output port
- Support IEEE 802.3at Ethernet power standard
- 10/100M data transmission
- Output voltage:12V(Default)
- Circuit protection to protect the connected device
- Top-quality design, stable and reliable

## Specifications:


Model	ATZ POE-SP3202-at
Power Supply Type	1/2(+),3/6(-);4/5(+),7/8(-) power supply
PoE Voltage Input	44-57V
DC Voltage Output	12V
Connector	1x 10/100Mbps RJ45 input port
	1*10/100M male output port
	1*(5.5*2.1mm) DC output port
Network Medium	Cat5 (UTP) or more
Protocol	IEEE 802.3 i 10 BASE-T
	IEEE 802.3 u 100 BASE-TX
	IEEE 802.3 x Flow Control
	IEEE 802.3 at Power over Ethernet
Rate	10/100M
LED Status	PoE power input indicator light
Port Protection	Meet the IEC61000-4-2(ESD)±15KV(air), ±8KV (contact); Compatible with 8/20us,24A(12A)
Certifications	CE,FCC,ROHS

**Model** : ATZ POE-SP3202-at

**Description** : PoE Splitter 10/100M IEEE 802.3at/ 12V DC Output (25.5W)

Dimension	LxWxH: 86x31x25.5mm
Weight	0.079kg
Working Temperature	Operating Temperature: 0~55°C; Storage Temperature: -20~70°C; Operation Humidity: 90%, non-condensing; Storage Humidity: 95%, non-condensing

### Product Diagram:



**Model** : ATZ POE-SP3202-at

**Description** : PoE Splitter 10/100M IEEE 802.3at/ 12V DC Output (25.5W)

---

**Package contents:**

1x 10/100M PoE Splitter Cable 25.5W

---

**Warranty: 1 Year**

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.