

Description: 7U 15" LCD Rackmount Industrial Monitor

- Optimize rack space. Maximize rack monitoring -



Features:

- Compact 19 inch rack mountable with 7U height
- 15 inch LCD panel, support 1024x768 resolution
- DVI-D, VGA, Audio input
- 90° tilt adjustment while mounted in rack: 45°~-45° (V)
- Heavy duty steel chassis with hardness glass protect screen
- Front OSD control buttons to optimized display
- Build in 2x 2watts stereo speakers

Optional:

- Composite video input
- HDMI or Display port input
- 3G / HD / SD-SDI broadcast grade input

pg. 1

Notes: - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.



Description: 7U 15" LCD Rackmount Industrial Monitor

- Optimize rack space. Maximize rack monitoring -

- DC 9~36 V power input
- AR Hardness glass
- Touch screen

Specifications:

User Controls Interface:		
Power ON / OFF via Front Button		
Power Mode Status LED indicator		
OSD (On Screen Display) Buttons		
LCD Characteristics:		
Screen Size	15 inch	
Backlight Type	LED	
Resolution	1024x768	
Contrast Ratio	700:1	
Brightness (cd/m2)	450	
View Angles (H/V)	160/140	
Pixel Size (HxV) mm	0.297x0.297	
Max. Color	16.7M	
MTBF (Hrs.)	50,000	
Mechanical and Environment:		
Height	7U	
IP Protect	N/A	
Mounting	VESA Mount and Rack Mount	
Construction	Metal Housing	
Operating Temperature	0 - 50 deg. C	
Operating Humidity	5% - 95% (non -condensing)	
Anti-Vibration	5 - 500 Hz / 1 Grms PTP	
Anti-Shock	15G / Peak (11 ms)	
Physical Dimension (WxHxD)	480 x 311 x 60 (mm)	
Packing Dimension (WxHxD)	620 x 440 x 210 (mm)	

Notes: - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.



Description: 7U 15" LCD Rackmount Industrial Monitor

- Optimize rack space. Maximize rack monitoring -


Net Weight / Gross Weight	7.5 / 10 (KGs)	
Certification and Approvals	CE / FCC / RoHs	
Input Signals:		
DVI-D	DVI-D 24Pin Connector (Female)	
VGA	D-SUB 15Pin Connector (Female)	
Audio	3.5" Jack	
Power Input	Standard IEC Inlet	
Composite BNC (AV option)	BNC connector (Female)	
Composite AV (AV option)	3.5mm Jack (for 1-in-3-out RCA adapter cable)	
HDMI (AV option)	HDMI Type-A connector	
Touch-USB (option)	USB A Type connector	
Touch-RS232 (option)	D-SUB 9P connector (Female)	
Power Specifications:		
AC Power Input	Standard IEC Type Power Cord with Internal Power	
	adapter, 100-240V AC Input	
Wide Range DC Power Input	Screw Type Terminal Block with internal	
(option)	wide Range DC 9-36V power module	



Description: 7U 15" LCD Rackmount Industrial Monitor

- Optimize rack space. Maximize rack monitoring -


Product Diagram:






Description: 7U 15" LCD Rackmount Industrial Monitor

- Optimize rack space. Maximize rack monitoring -





pg. 5

Notes: - All brand names and trademarks are properties of their respective holders and are referred to here for descriptive purpose only. Photo attached is for reference only, it may be slightly varied in items of colour, shape from the actual item delivered from time to time.



Description: 7U 15" LCD Rackmount Industrial Monitor

- Optimize rack space. Maximize rack monitoring -

Warranty: 3 Years

Warranty is effective from the date of original delivery.

This warranty shall be void if a serial number has been removed from the product.