

**Model** : USB3AF-USB-C/M-ADPTR

**Description:** USB Type A-Female To USB-C-Male Adapter (support OTG)



This USB-C™ to USB 3.0 OTG (On-The-Go) Adapter that allows you to connect to flash memories via USB (pen-drive, hard drives, etc.). Ideal for connecting USB flash memory to a mobile terminal (smartphone, tablets, etc.).

## Features:

- Plug and play connectivity.
- Small and lightweight, easy to carry.
- OTG (On-the-Go) that allows you to connect flash memories via USB Type-A (pen-drive, hard drives, etc.) to smartphones, tablets, etc.
- Designed with 51KΩ pull-up resistor to protect devices from over-current damage
- USB 3.0 is backward compatible with USB 2.0. The USB-C™ connector can connect to either host or device. Safe, reliable charge and sync connectivity.

**Model** : USB3AF-USB-C/M-ADPTR

**Description:** USB Type A-Female To USB-C-Male Adapter (support OTG)

---

- Super fast 5Gbps data transfer speeds.
- Supports use with most mobile phone / tablet devices / laptop / desktop computers with USB-C port and OTG functionality.
- Supports USB Power Delivery that allows the transmission of power through cable (5V 900mA)
- Compatible with:
  - iMac Pro
  - iPad Air (4th Gen)
  - iPad Mini (6th Gen)
  - iPad Pro (11-inch)
  - iPad Pro (12.9-inch)
  - Galaxy Note 10
  - Galaxy Note 20 Ultra
  - Galaxy S9
  - Galaxy S10e
  - Galaxy S20 Ultra
  - Galaxy S21 / S22
  - Galaxy Tab S7
  - MacBook
  - MacBook Air
  - MacBook Pro
  - Mac Pro
  - Moto G9 Plus
  - Moto G10
  - OnePlus 8
  - OnePlus 9 Pro
  - P30 Pro
  - P40 Pro
  - Pixel 4a 5G
  - Pixel 5
  - Pixel 6 Pro
  - Xperia XZ2
  - ...and many more devices.

---

## Specifications:

- Interface: USB3.0 Type-A (Female) to USB-C (Male)
- Protection: 51KΩ pull-up resistor to prevent damage from excessive current
- Dimensions(mm): 43 x 18 mm
- Material: Durable PVC construction
- Connector Plating: Nickel
- Contact Plating: Gold
- Gross Weight: 9 g
- Colour: Black

**Model** : USB3AF-USB-C/M-ADPTR

**Description:** USB Type A-Female To USB-C-Male Adapter (support OTG)

## Application Diagram:

